


## Euro-Fix Containers With Solid Base & Sides

Schaefer's complete line of stack-only containers for storage, distribution and work-in-process applications. Modular to 32" x 48" Euro-pallet and to 48" x 40" pallets.

### Euro-Fix Advantages

- Available in 72 sizes, five footprints
- Heights from 3" to 16.5"
- Standard colors: red or grey; additional colors are available, minimum quantities apply
- Over 15 lids, clips and accessories
- A true family of products which can be interstacked on a pallet
- Designed for high cube utilization and strength
- Made of polypropylene which makes the Euro-Fix economical, durable and easy to clean
- Available in conductive version
- More material has been added for extra strength
- Spacing, number and thickness of ribs add even more strength and years of life to the container
- Some containers are available with reinforced bottoms (see items labeled VB in chart) to support even heavier loads, and for quiet operation in automated storage systems. Minimum order quantity: 500
- The EF 8320, a 4.59 cubic foot capacity container, features a ribbed traction bottom for maximum load bearing and smooth conveyor operation



1 EF 2120	7 EF 4080	13 EF 6070	19 EF 6240
2 EF 3120	8 EF 4120	14 EF 6120	20 EF 6280
3 EF 3170	9 EF 4140	15 EF 6140	21 EF 6320
4 EF 3220	10 EF 4170	16 EF 6150	22 EF 6420
5 EF 4040	11 EF 4220	17 EF 6180	23 EF 8320
6 EF 4070	12 EF 4320	18 EF 6220	

**Mold Options Available on Some Containers**

- Solid or mesh walls and bottom
- Reinforced bottoms, hopper fronts
- Open or finger tip handles, 500 minimum
- Two or four handles per container
- Minimum quantities apply to same containers

**Euro-Fix Containers with Solid Base & Sides** (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.	Maximum Stack Load lbs.
	L	W	H	L*	W*	H				
EF 2120	7.9	6.0	4.7	6.0	4.1	4.0	0.07	0.6	55	1320
EF 3120	11.9	7.9	4.7	9.9	6.0	4.0	0.15	1.1	55	1320
EF 3170	11.9	7.9	6.7	9.9	6.0	5.8	0.23	1.4	55	1320
EF 3220	11.9	7.9	8.7	9.9	6.0	7.8	0.32	1.8	55	1320
EF 4070	15.8	11.9	3.0	14.1	10.1	2.4	0.24	1.7	55	1320
EFR 4070**	—	Collar	—	—	—	—	—	—	—	—
EF 4120	15.8	11.9	4.8	13.9	10.0	4.1	0.38	1.8	55	1320
EF 4140	15.8	11.9	5.6	13.9	10.0	4.6	0.45	2.0	55	1320
EF 4170	15.8	11.9	6.7	13.9	10.0	5.7	0.55	2.4	55	1320
EF 4220	15.8	11.9	8.7	13.9	10.0	7.7	0.71	2.9	55	1320
EF 4320	15.8	11.9	12.6	14.1	10.2	12.0	1.04	3.7	55	1320
EF 4440	15.8	15.8	16.6	13.9	13.9	15.6	1.90	6.6	55	1320
EF 6070	23.7	15.8	3.0	21.9	14.0	2.3	0.50	2.6	55	1320
EFR 6070**	—	Collar	—	—	—	—	—	—	—	—
EF 6120	23.7	15.8	4.8	21.7	13.9	3.8	0.82	3.5	55	1320
EF 6140	23.7	15.8	5.6	21.7	13.9	4.6	0.97	3.7	55	1320
EF 6150	23.7	15.8	6.0	21.7	13.9	5.0	1.04	3.9	55	1320
EF 6180***	23.7	15.8	7.1	21.7	13.9	6.1	1.25	4.4	55	1320
EF 6220***	23.7	15.8	8.7	21.7	13.8	7.7	1.54	5.6	55	1320
EF 6240	23.7	15.8	9.5	21.7	13.9	8.5	1.68	5.7	55	1320
EF 6280	23.7	15.8	11.3	21.7	13.8	10.2	2.00	6.5	55	1320
EF 6320***	23.7	15.8	12.6	21.7	13.9	11.6	2.25	6.8	55	1320
EF 6420***	23.7	15.8	16.6	21.7	13.8	15.6	2.96	9.2	55	1320
EF 8320	31.5	23.7	12.6	29.7	21.8	11.3	4.59	12.4	55	1320

Note: All specifications are nominal

\* Measurements taken from inside bottom

\*\* Collar raises the container height by 2.5"

\*\*\* 7.5" x 5.5" index card holder is standard. VB: Reinforced Bottom

**Reinforced Bottom Containers** (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.	Maximum Stack Load lbs.
	L	W	H	L*	W*	H				
EF 6150 VB	23.7	15.8	6.0	21.9	13.9	4.2	0.93	5.6	110	1320
EF 6180 VB	23.7	15.8	7.1	21.9	13.9	5.3	1.14	4.4	110	1320
EF 6220 VB	23.7	15.8	8.7	21.9	13.9	6.9	1.43	6.8	110	1320
EF 6280 VB	23.7	15.8	11.3	21.7	13.9	9.5	1.89	6.7	110	1320
EF 6320 VB	23.7	15.8	12.6	21.9	13.9	10.9	2.14	7.6	110	1320
EF 6420 VB	23.7	15.8	16.6	21.9	13.9	14.8	2.85	9.9	110	1320

Note: All specifications are nominal

\* Measurements taken from inside bottom


## Euro-Fix Containers With Mesh Base & Sides

Schaefer's complete line of distribution and storage containers. Made of polypropylene, the Euro-Fix Container is available with solid sides and bottom (previous page) and in mesh versions, shown here.

### Designed for Versatility

Euro-Fix containers are sturdy yet lightweight, easy to clean and suitable for use with foods. They are resistant to most oils and acids and can withstand temperature extremes, making them ideal for a variety of different applications.

Sturdy stacking rims ensure the containers can be securely stacked with a stacking load of up to 272 lbs. Ribbing affords high integral rigidity. Smooth base and interior permit filling to maximum capacity.



- |           |           |            |            |
|-----------|-----------|------------|------------|
| 1 EF 4121 | 5 EF 4441 | 9 EF 6181  | 13 EF 6321 |
| 2 EF 4141 | 6 EF 6121 | 10 EF 6221 | 14 EF 6421 |
| 3 EF 4171 | 7 EF 6141 | 11 EF 6241 | 15 EF 8321 |
| 4 EF 4221 | 8 EF 6151 | 12 EF 6281 |            |



Mesh Walls and Mesh Bottom



Mesh Walls and Solid Bottom

**Euro-Fix Containers with Solid Base & Mesh Sides** (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.
	L	W	H	L*	W*	H			
EF 4121	15.8	11.9	4.8	13.9	10.0	4.0	0.38	1.8	55
EF 4141	15.8	11.9	5.6	13.9	9.9	4.4	0.45	1.9	55
EF 4171	15.8	11.9	6.7	13.9	9.9	5.6	0.55	2.1	55
EF 4221	15.8	11.9	8.7	13.9	9.9	7.6	0.71	2.6	55
EF 4441	15.8	15.8	16.6	13.9	13.8	15.5	1.90	5.1	55
EF 6121	23.7	15.8	4.8	21.7	13.8	7.7	0.82	3.3	55
EF 6141	23.7	15.8	5.6	21.7	13.8	4.5	0.97	3.2	55
EF 6151	23.7	15.8	6.0	21.7	13.8	5.0	1.04	3.3	55
EF 6181	23.7	15.8	7.1	21.7	13.8	6.1	1.25	3.6	55
EF 6221	23.7	15.8	8.7	21.7	13.8	7.7	1.54	4.7	55
EF 6241	23.7	15.8	9.5	21.7	13.8	8.5	1.68	4.7	55
EF 6281	23.7	15.8	11.3	21.7	13.8	10.2	2.00	5.4	55
EF 6321	23.7	15.8	12.6	21.7	13.8	11.6	2.25	5.3	55
EF 6421	23.7	15.8	16.6	21.7	13.8	15.5	2.96	7.7	55
EF 8321	31.5	23.7	12.6	29.7	21.8	11.2	4.59	11.2	55

Note: All specifications are nominal

\* Measurements taken from inside bottom

**Euro-Fix Containers with Mesh Base & Mesh Sides** (measurements in inches, unless specified)

Order #	Outside Dimensions			Inside Dimensions			Capacity Cubic Ft	Tare Weight lbs.	Recommended Load lbs.
	L	W	H	L*	W*	H			
EF 4123	15.8	11.9	4.8	13.9	10.0	4.0	0.37	1.6	33
EF 4143	15.8	11.9	5.6	13.9	10.0	4.5	0.44	1.8	33
EF 4173	15.8	11.9	6.7	13.9	10.0	5.7	0.54	2.0	33
EF 4223	15.8	11.9	8.7	13.9	10.0	7.6	0.70	2.3	33
EF 4443	15.8	15.8	16.6	13.9	13.9	15.5	1.89	4.8	33
EF 6123	23.7	15.8	4.8	21.7	13.9	3.8	0.80	2.9	33
EF 6143	23.7	15.8	5.6	21.7	13.9	4.4	0.95	2.8	33
EF 6153	23.7	15.8	6.0	21.7	13.9	4.9	1.02	2.9	33
EF 6183	23.7	15.8	7.1	21.7	13.9	6.0	1.23	3.0	33
EF 6223	23.7	15.8	8.7	21.7	13.8	7.6	1.51	4.3	33
EF 6243	23.7	15.8	9.5	21.7	13.9	8.4	1.66	4.4	33
EF 6283	23.7	15.8	11.3	21.7	13.8	10.2	1.98	4.8	33
EF 6323	23.7	15.8	12.6	21.7	13.9	11.5	2.23	4.8	33
EF 6423	23.7	15.8	16.6	21.7	13.8	15.5	2.94	6.8	33

Note: All specifications are nominal

\* Measurements taken from inside bottom

## Accessories: Lids

### Lids for 24" x 16" Container Footprints

- Clip-on lid with stack stops (FB D 604)
- Dust-cover with stacking rim
- Attachable lid, can be retrofitted
- Available in red and grey

### Lid for 16" x 12" Container Footprints

- Dust cover with fingertip handles
- Attachable lid, can be retrofitted
- Available in red and grey

### Lid for 12" x 8" Container Footprints

- Waterfall lid with handles and stacking rim (EF D 32)
- Available in black only

### Lid for 32" x 24" Container

- Waterfall lid with stack stop (ADH 86)
- Available in black only

### Lid for 8" x 6" Container

- Dust cover with stacking rim
- Attachable lid, can be retrofitted
- Available in red and grey

### Lid Hinges and Reinforcing Rings

- For retrofitting lids, two reinforcing rings and two locking lid clips are provided
- Kit for retrofitting lid, add S to order number

## Accessories: Boxes

### Scalloped Handle Insert

- Made of grey polyethylene
- Fills handle opening to keep loose material from spilling

### Index Cards

- For EF 6420, EF 6320, EF 6220 and EF 6180

### Label Holder

- Fits all Euro-Fix containers

### Collar

- EFR 4070
- EFR 6070
- Collar raises the container height by 2.5"



- |            |           |           |
|------------|-----------|-----------|
| 1 FB D 604 | 4 EF D 21 | 7 EF D 44 |
| 2 ADH 86   | 5 EF D 32 | 8 EF D 64 |
| 3 FB D 64  | 6 EF D 43 |           |



Scalloped Handle Insert

Dust Covers (measurements in inches)		
Order #	Dimensions	
	L	W
EF D 21	7.8	5.9
EF D 32	11.8	7.8
EF D 43	15.7	11.8
EF D 43 PP3	15.7	11.8
EF D 44	15.7	15.7
EF D 64	23.6	15.7
EF D 64 PP3	23.6	15.7
EF D 3224	31.5	23.7

\* Lid for EF 8320 and FK 8450, black only



Index Cards



Label Holder



Collar

Euro-Fix Accessories (measurements in inches)			
Order #	Description	Dimensions	
		L	W
EFHC	Scalloped Handle Insert	—	—
146 LBL.0703	Index Cards	3.5	7.5
EFE	Label Holder	—	—


## Sub-Containers

- Subdivide Euro-Fix containers to organize small parts
- Wide lip permits easy removal of sub-containers
- Various sizes can be combined
- Available in Blue

### Euro-Fix Sub-Containers

(measurements in inches)

Order #	Outside Dimensions		
	L	W	H
EK 020703	2.2	7.1	3.1
EK 050303L	5.1	3.5	3.1
EK 050303	5.4	3.5	3.8
EK 050304	5.4	3.5	4.4
EK 060303	5.5	3.5	3.1
EK 060503L	6.1	5.0	3.1
EK 060503	6.9	5.4	3.8
EK 060505	6.9	5.4	4.4
EK 070503	7.1	5.1	3.1
EK 080503	7.9	5.5	3.1
EK 110603	10.8	6.9	3.8
EK 100703	10.0	7.1	3.1
EK110804	10.8	6.9	4.4
EK 220303	21.7	3.5	3.8
EK 220304	21.7	3.5	4.4
EK 220603	21.7	6.9	3.8
EK 220604	21.7	6.9	4.4
EK 220703	21.9	3.5	3.1
EK 220303L	21.9	7.1	3.1



1 EK 050303      3 EK 060503L  
2 EK 100703      4 EK 070503



1 EK 080503      3 EK 220303L  
2 EK 060303      4 EK 220703



Lid Hinges & Reinforcing Ring



4-Way Connector Clip

### Connector Clip

Order #	Description
EFK	4-Way Connector Clip



## Pallets & Top Caps to Fit Euro-Fix Containers

### Euro-Fix Top Cap (measurements in inches)

Order #	Dimensions			Tare Weight lbs.
	L	W	H	
EFT 4840	48.00	40.90	1.53	20

### Euro-Fix Pallet (measurements in inches)

Order #	Dimensions			Net Ratio	Tare Weight lbs.	Dynamic Load lbs.	Static Load lbs.
	L	W	H				
EFP 4840	48.00	40.00	6.13	2.3	35	4000	30000